



# MATERIAL SAFETY DATA SHEET

Page 1 of 7  
99-0624

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 03/01/2011

## 1. PRODUCT IDENTIFICATION

**CHEMICAL RESPONSE CARD: 95**

1.1	Product Name:	<b>K &amp; N SYNTHETIC AIR FILTER CLEANER</b>	RESPONSE TEAM PPE:	  	
1.2	Chemical Name:	See ingredients listed in section 3			
1.3	Synonyms:	None reported by the manufacturer	WHMIS:		
1.4	Trade Names:	Synthetic Air Filter Cleaner			
1.5	Product Use:	Automotive – Cleaner	<b>HEALTH:</b>		<b>2</b>
1.6	Manufacturer's Name:	K&N Engineering, Inc.	<b>FLAMMABILITY:</b>		<b>0</b>
1.7	Manufacturer's Address:	P.O. Box 1329, Riverside, CA 92502-1329 USA	<b>REACTIVITY:</b>		<b>0</b>
1.8	Business Phone:	+1 (800) 858-3333	<b>PERSONAL PROTECTION:</b>		<b>B</b>
1.9	Emergency Phone:	<b>CHEMTREC +1 (800) 424-9300/+1 (703) 527-3887</b>			

## 2. IDENTIFICATION OF RISKS

2.1	Hazard Identification: <b>This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of NOHSC:1088 (2004) and ADG Code (Australia). Skin and eye irritant.</b>						
2.2	Routes of Entry:	Inhalation:	<b>YES</b>	Absorption:	<b>YES</b>	Ingestion:	<b>YES</b>
2.3	Effects of Exposure: <b>EYES:</b> This product can cause transient mild to moderate eye irritation with short-term contact with liquid sprays or mists. <b>SKIN:</b> This product can cause mild to moderate, transient skin irritation with short-term exposure. <b>INGESTION:</b> If swallowed, no significant adverse health effects are anticipated. Ingestion can cause a laxative effect. If aspirated into the lungs, liquid can cause severe lung damage or death. <b>INHALATION:</b> No significant adverse health effects are expected to occur upon short-term exposure to this product. Aspiration of liquid into the lungs can cause severe lung damage or death.						
2.4	Symptoms of Exposure: <b>EYES:</b> Irritation, redness, and watering. <b>SKIN:</b> Possible irritation, defatting, or dermatitis (rash), characterized by dry, scaling, red, itching skin. <b>INGESTION:</b> Laxative effects. Gastrointestinal discomfort, nausea and headache. <b>INHALATION:</b> May cause irritation to the upper respiratory system. Overexposure to sprays or mists may cause chemical pneumonitis.						
2.5	Acute Health Effects: <b>EYES:</b> Slightly irritating, but will not permanently injure eye tissue. <b>SKIN:</b> Low toxicity. Frequent or prolonged contact may be irritating to the skin at the site of contact. <b>INGESTION:</b> Mild toxicity. Laxative effects. Gastrointestinal discomfort, nausea and headache. <b>INHALATION:</b> Negligible. At elevated temperatures or through mechanical action, may form vapors, mists or fumes that may be irritating to the eyes, nose, throat and lungs.						
2.6	Chronic Health Effects: <b>Prolonged or repeated skin contact can cause mild irritation and inflammation characterized by drying, cracking, or dermatitis.</b>						
2.7	Target Organs: <b>None reported by the manufacturer.</b>						
2.8	Toxicological Properties: <b>None reported by the manufacturer.</b>						

## 3. COMPOSITION & INGREDIENTS

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m <sup>3</sup> )								
					ACGIH		NOHSC			OSHA			OTHER
					ppm		ppm			ppm			
TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH						
SODIUM METASILICATE PENTAHYDRATE	6834-92-0	VV9287500	NA	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	

See Section 16 for Additional Definitions of Terms Used.

NOTE: All WHMIS required information is included – it is located in appropriate sections based on the ANSI Z400.1-2004 format.



# MATERIAL SAFETY DATA SHEET

Page 2 of 7  
99-0624

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 2.0 | MSDS Revision Date: 03/01/2011

## 4. FIRST AID

4.1	<p>First Aid:</p> <p><b>EYES:</b> Check for and remove contact lenses. Flush eyes with cool, clean, low-pressure water while occasionally lifting and lowering eyelids. Seek medical attention if excessive tearing, redness, or pain persists.</p> <p><b>SKIN:</b> Remove contaminated shoes and clothing. Wipe off excess material. Wash exposed skin with soap and water. Seek medical attention if tissue appears damaged or if irritation persists. Thoroughly clean contaminated clothing before reuse. Discard contaminated leather goods. If material is injected under the skin, into muscle, or into the bloodstream, seek medical attention immediately.</p> <p><b>INGESTION:</b> Do not induce vomiting unless directed to by a physician. Do not give anything to drink unless directed to by a physician. Never give anything by mouth to a person who is not fully conscious. Seek medical attention immediately.</p> <p><b>INHALATION:</b> Vaporization is not expected at ambient temperatures. This material is not expected to cause inhalation-related disorders under anticipated conditions of use. In case of overexposure, move the person to fresh air.</p>												
4.2	<p>Medical Conditions Aggravated by Exposure:</p> <p>Personnel with pre-existing skin disorders should avoid repeated or prolonged contact with this product.</p> <table border="1" data-bbox="1060 604 1541 821"> <tr> <td><b>HEALTH</b></td> <td><b>2</b></td> </tr> <tr> <td><b>FLAMMABILITY</b></td> <td><b>0</b></td> </tr> <tr> <td><b>REACTIVITY</b></td> <td><b>0</b></td> </tr> <tr> <td><b>PROTECTIVE EQUIPMENT</b></td> <td><b>B</b></td> </tr> <tr> <td><b>EYES</b></td> <td></td> </tr> <tr> <td><b>SKIN</b></td> <td></td> </tr> </table>	<b>HEALTH</b>	<b>2</b>	<b>FLAMMABILITY</b>	<b>0</b>	<b>REACTIVITY</b>	<b>0</b>	<b>PROTECTIVE EQUIPMENT</b>	<b>B</b>	<b>EYES</b>		<b>SKIN</b>	
<b>HEALTH</b>	<b>2</b>												
<b>FLAMMABILITY</b>	<b>0</b>												
<b>REACTIVITY</b>	<b>0</b>												
<b>PROTECTIVE EQUIPMENT</b>	<b>B</b>												
<b>EYES</b>													
<b>SKIN</b>													

## 5. FIRE & EXPLOSION HAZARDS

5.1	Flashpoint & Method: <b>NA</b>					
5.2	Autoignition Temperature: <b>NA</b>					
5.3	<table border="1"> <tr> <td>Flammability Limits:</td> <td>Lower Explosive Limit (LEL):</td> <td><b>NA</b></td> <td>Upper Explosive Limit (UEL):</td> <td><b>NA</b></td> </tr> </table>	Flammability Limits:	Lower Explosive Limit (LEL):	<b>NA</b>	Upper Explosive Limit (UEL):	<b>NA</b>
Flammability Limits:	Lower Explosive Limit (LEL):	<b>NA</b>	Upper Explosive Limit (UEL):	<b>NA</b>		
5.4	<p>Fire &amp; Explosion Hazards:</p> <p><b>This material can burn but will not readily ignite. This material will release vapors (toxic fumes of sodium oxide) when heated above the flash point temperature that can ignite when exposed to a source of ignition. Toxic fumes of sodium oxide.</b></p>					
5.5	<p>Extinguishing Methods:</p> <p><b>Dry chemical, foam, carbon dioxide, and water fog.</b></p>					
5.6	<p>Firefighting Procedures:</p> <p><b>Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Avoid spraying water directly into storage containers because of danger of boilover. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.</b></p>					

## 6. SPILLS & LEAKS

6.1	<p>Spills:</p> <p><b>spill or leak at source if safely possible. Deny entry to all unprotected individuals. Individuals involved in the cleanup must wear appropriate personal protective equipment. Recover free liquid or cover with inert absorbent material and place into appropriate container(s) for disposal. For small spills, absorb or cover with dry earth, sand, or other inert absorbent material and place into waste containers for later disposal. Contain large spills to maximize product recovery or disposal. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers or any natural waterway or drinking supply. Contact appropriate local and/or provincial authorities for assistance and/or reporting requirements. Ensure disposal on compliance with government requirements &amp; secure conformity to local disposal regulations. Notify the appropriate federal &amp; provincial authorities immediately.</b></p>
-----	--



# MATERIAL SAFETY DATA SHEET

Page 3 of 7  
99-0624

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 03/01/2011

## 7. STORAGE & HANDLING

7.1	Work & Hygiene Practices: <b>Use normal hygiene practices. Avoid direct skin contact. Wash hands thoroughly after using this product and before eating, drinking, or smoking.</b>
7.2	Storage & Handling: <b>Use and store in a cool, dry, well-ventilated area. Keep away from excessive heat. Do not store in unmarked containers or storage devices. Maximum recommended shelf-life: 24 months.</b>
7.3	Special Precautions: <b>Empty containers may contain product residue. Do not reuse empty containers without commercial cleaning or reconditioning.</b>

## 8. EXPOSURE CONTROL & PERSONAL PROTECTION

8.1	Ventilation & Engineering Controls: <b>General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.</b>
8.2	Respiratory Protection: <b>None required.</b>
8.3	Eye Protection: <b>Safety glasses equipped with side shields should be adequate protection under most conditions of use. Wear goggles and/or face shield if splashing or spraying is anticipated. Have suitable eye wash water available.</b>
8.4	Hand Protection: <b>Use gloves constructed of chemical resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected.</b>
8.5	Body Protection: <b>Avoid prolonged and/or repeated skin contact. Use clean and impervious protective clothing (e.g., neoprene or Tyvek®) if splashing or spraying conditions are present.</b>

## 9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	NA
9.2	Boiling Point:	NA
9.3	Melting Point:	NA
9.4	Evaporation Rate:	NA
9.5	Vapor Pressure @ 20°C:	NA
9.6	Molecular Weight:	NA
9.7	Appearance & Colour:	White liquid
9.8	Odour Threshold:	NA
9.9	Solubility:	Soluble
9.10	pH:	12-13
9.11	Viscosity:	NA
9.12	Coefficient Oil/Water Distribution:	NA
9.13	Additional Information:	NA

## 10. STABILITY & REACTIVITY

10.1	Stability: <b>Stable under normal conditions.</b>
10.2	Decomposition Products: <b>Fumes, smoke, carbon monoxide, metal oxides, and trace hydrocarbons.</b>
10.3	Polymerization: <b>Will not occur.</b>
10.4	Conditions to Avoid: <b>Open flames, sparks, high heat, and close proximity to incompatible substances.</b>
10.5	Incompatible Substances: <b>Strong acids, alkalis, and oxidizers.</b>



# MATERIAL SAFETY DATA SHEET

Page 4 of 7  
99-0624

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 03/01/2011

## 11. TOXICOLOGICAL INFORMATION

11.1	Toxicity Data: <b>The product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. This data has not been presented in this document. Not listed by ACGIH, IARC, NTP, or CA Proposition 65.</b>
11.2	Acute Toxicity: <b>See section 2.5</b>
11.3	Chronic Toxicity: <b>See section 2.6</b>
11.4	Suspected Carcinogen: <b>NE</b>
11.5	Reproductive Toxicity:
	Mutagenicity: <b>This product is not expected to cause mutagenic effects in humans.</b>
	Embryotoxicity: <b>This product is not expected to cause embryotoxic effects in humans.</b>
	Teratogenicity: <b>This product is not expected to cause teratogenic effects in humans.</b>
	Reproductive Toxicity: <b>This product is not expected to cause reproductive harm in humans.</b>
11.6	Irritancy of Product: <b>NA</b>
11.7	Biological Exposure Indices: <b>NA</b>
11.8	Medical Recommendations: <b>Treat symptomatically.</b>

## 12. ECOLOGICAL INFORMATION

12.1	Environmental Stability: <b>Analysis for ecological effects has not been conducted on this product.</b>
12.2	Effect on Plants & Animals: <b>An environmental fate analysis has not been conducted on this specific product.</b>
12.3	Effect on Aquatic Life: <b>There is no specific data available for this product.</b>

## 13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal: <b>Dispose of in accordance with federal &amp; provincial hazardous waste laws.</b>
13.2	Special Considerations: <b>If the material is unsuitable for recycling or reclamation, enclosed-controlled incineration is recommended unless otherwise prohibited by local ordinance.</b>



# MATERIAL SAFETY DATA SHEET

Page 5 of 7  
99-0624

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 03/01/2011

## 14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND): <b>NOT REGULATED</b>	
14.2	IATA (AIR): <b>NOT REGULATED</b>	
14.3	IMDG (OCN): <b>NOT REGULATED</b>	
14.4	TDGR (Canadian GND): <b>NOT REGULATED</b>	
14.5	ADR/RID (EU): <b>NOT REGULATED</b>	
14.6	MEXICO (SCT): <b>NOT REGULATED</b>	
14.7	ADGR (AUS): <b>NOT REGULATED</b>	

## 15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements: <b>This product does not contain any substances subject to SARA reporting requirements.</b>	
15.2	SARA Threshold Planning Quantity: <b>NA</b>	
15.3	TSCA Inventory Status: <b>The components of this product are listed on the TSCA inventory.</b>	
15.4	CERCLA Reportable Quantity (RQ): <b>NA</b>	
15.5	Other Federal Requirements: <b>NA</b>	
15.6	Other Canadian Regulations <b>All chemical substances of this product are listed on the CEPA DSL/NDSL or are exempt from list requirements. This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.</b>	
15.7	State Regulatory Information:	
15.8	67/548/EEC (European Union) Requirements: <b>The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC. Xi - Irritant. R: 36/38 - Irritating to eyes and skin. S: 2-13-24/25- 26-36/37/39-45 - Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). HazChem Code: None allocated. Poison Schedule: None allocated</b>	



# MATERIAL SAFETY DATA SHEET

Page 6 of 7  
**99-0624**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 03/01/2011

## 16. OTHER INFORMATION

16.1	Other Information: <b>This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the priorities substances list.</b>
16.2	Terms & Definitions: <b>Please see last page of this MSDS.</b>
16.3	Disclaimer: This Material Safety Data Sheet complies with Health Canada's Workplace Hazardous Materials Information System (WHMIS) & U.S. OSHA's Hazard Communication Standard, 29 CFR §1910.1200. To the best of ShipMate's or K & N Engineering's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product. Contact the manufacturer for additional information.
16.4	Prepared for: <b>K &amp; N Engineering, Inc. PO Box 1329 Riverside, CA 92502 Phone: +1 (800) 858-3333 Fax: +1 (951) 826-4001 e-mail: tech@knfilters.com</b> 
16.5	Prepared by: <b>Steven Charles Hunt ShipMate, Inc. 780 Buckaroo Trail, Suite D Sisters, OR 97759 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700 e-mail: shipmate@shipmate.com</b> 



# MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 03/01/2011

## DEFINITIONS OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

### GENERAL INFORMATION:

<b>CAS No.</b>	Chemical Abstract Service Number
----------------	----------------------------------

### EXPOSURE LIMITS IN AIR:

<b>ACGIH</b>	American Conference on Governmental Industrial Hygienists
<b>TLV</b>	Threshold Limit Value
<b>OSHA</b>	U.S. Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>IDLH</b>	Immediately Dangerous to Life and Health

### FIRST AID MEASURES:

<b>CPR</b>	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--

### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

<b>0</b>	Minimal Hazard
<b>1</b>	Slight Hazard
<b>2</b>	Moderate Hazard
<b>3</b>	Severe Hazard
<b>4</b>	Extreme Hazard

HEALTH [ ] [ ]  
 FLAMMABILITY [ ] [ ]  
 REACTIVITY [ ] [ ]  
 PERSONAL PROTECTION

### PERSONAL PROTECTION RATINGS:

<b>A</b>		<b>G</b>	
<b>B</b>		<b>H</b>	
<b>C</b>		<b>I</b>	
<b>D</b>		<b>J</b>	
<b>E</b>		<b>K</b>	
<b>F</b>		<b>X</b>	Consult your supervisor or S.O.P. for special handling directions.

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

### FLAMMABILITY LIMITS IN AIR:

<b>Autoignition Temperature</b>	Minimum temperature required to initiate combustion in air with no other source of ignition
<b>LEL</b>	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
<b>UEL</b>	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source


### OTHER STANDARD ABBREVIATIONS:

<b>NA</b>	Not Available
<b>NR</b>	No Results
<b>NE</b>	Not Established
<b>NF</b>	Not Found
<b>ND</b>	Not Determined
<b>ML</b>	Maximum Limit
<b>SCBA</b>	Self-Contained Breathing Apparatus

### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

#### HAZARD RATINGS:

<b>0</b>	Minimal Hazard
<b>1</b>	Slight Hazard
<b>2</b>	Moderate Hazard
<b>3</b>	Severe Hazard
<b>4</b>	Extreme Hazard
<b>ACD</b>	Acidic
<b>ALK</b>	Alkaline
<b>COR</b>	Corrosive
<b>-W</b>	Use No Water
<b>OX</b>	Oxidizer



### TOXICOLOGICAL INFORMATION:

<b>LD<sub>50</sub></b>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
<b>LC<sub>50</sub></b>	Lethal concentration (gases) which kills 50% of the exposed animal
<b>ppm</b>	Concentration expressed in parts of material per million parts
<b>TD<sub>10</sub></b>	Lowest dose to cause a symptom
<b>TCLo</b>	Lowest concentration to cause a symptom
<b>TD<sub>10</sub>, LD<sub>10</sub>, &amp; LD<sub>01</sub> or TC, TC<sub>01</sub>, LC<sub>10</sub>, &amp; LC<sub>01</sub></b>	Lowest dose (or concentration) to cause lethal or toxic effects
<b>IARC</b>	International Agency for Research on Cancer
<b>NTP</b>	National Toxicology Program
<b>RTECS</b>	Registry of Toxic Effects of Chemical Substances
<b>BCF</b>	Bioconcentration Factor
<b>TL<sub>m</sub></b>	Median threshold limit
<b>log K<sub>ow</sub> or log K<sub>oc</sub></b>	Coefficient of Oil/Water Distribution

### REGULATORY INFORMATION:

<b>CPR</b>	Canada's Controlled Product Regulations
<b>DOT</b>	U.S. Department of Transportation
<b>EPA</b>	U.S. Environmental Protection Agency
<b>EU</b>	European Union (European Union Directive 67/548/EEC)
<b>DSL</b>	Canadian Domestic Substance List
<b>MAK</b>	Mandat und die Arbeitsweise der Kommission (Work Area Commission)
<b>NDSL</b>	Canadian Non-Domestic Substance List
<b>NOHSC</b>	National Occupational Health & Safety Code (Australia)
<b>PSL</b>	Canadian Priority Substances List
<b>TC</b>	Transport Canada
<b>TSCA</b>	U.S. Toxic Substance Control Act
<b>WHMIS</b>	Canadian Workplace Hazardous Material Information System

### EC INFORMATION:

<b>C</b>	<b>E</b>	<b>F</b>	<b>N</b>	<b>O</b>	<b>T+</b>	<b>Xi</b>	<b>Xn</b>
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

### WHMIS INFORMATION:

<b>A</b>	<b>B</b>	<b>C</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E</b>	<b>F</b>